

# Mat Pro cmc<sup>®</sup> - ix



Winner 2008  
Fine Art Trade Guild  
Innovation Award  
Valiani  
Interchangeable Heads



## highlights

VALIANI means...

- ✓ High quality Italian Engineering
- ✓ Precision & Creativity
- ✓ Versatility
- ✓ Reliability & Profitability
- ✓ Superior Customer Support



Includes Future Mat Designer<sup>®</sup>



Supports Interchangeable Heads

## Mat Pro cmc<sup>®</sup> - ix

- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool.
- Fastest cutting speed in its class: 300mm/sec (12"/sec.).
- Cut pre-assembled double and triple mats without removing from machine.
- Attractive Purchase, Lease and Rental options.
- 2-year warranty on parts and factory labor.
- Sales, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors.
- The FMD Software is extremely easy to use and offers the full functionality necessary to increase creativity and reduce project design time.
- Integrated with the leading Picture Framing point-of-sale (POS) and Visualization software providers (only for N.A.).
- Mat Optimization layout feature for efficient cutting of varied mat sizes.
- New lightweight Alucore cutting board.
- Durable steel bearing rollers and steel bearing tracks.

# VALIANI

www.valiani.com

# Gto<sup>®</sup>-i



**Winner 2008**  
Fine Art Trade Guild  
Innovation Award  
Valiani  
Interchangeable Heads



highlights

**VALIANI means...**

- ✓ High quality Italian Engineering
- ✓ Precision & Creativity
- ✓ Versatility
- ✓ Reliability & Profitability
- ✓ Superior Customer Support



Includes Future Mat Designer<sup>®</sup>



Supports Interchangeable Heads

## Gto<sup>®</sup>- i

- Ultra-fast cutting and positioning speeds of over 55"/sec.!
- Dual cutting station capability; cut two different mat designs simultaneously
- Cut pre-assembled double and triple mats without removing from machine
- Sale, Service and Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors
- Over 250 pre-programmed design templates, with create your own capability
- Highly robust mechanical and electrical components
- Independent control keypads and Emergency Stops at each machine station
- Full-perimeter shields ensure maximum operator safety
- Automatic, infinitely-variable blade depth control minimizes operator errors due to fatigue - ideal for V-groove and multiple-layer cutting
- Can be run by either one or two operators; allows instant ramp-up in production capacity
- Highly durable blades cut up to 100 mat openings

# VALIANI

[www.valiani.com](http://www.valiani.com)

# Gto® i

**Gto® - i** computerized mat board cutting machine was developed and constructed for production framing businesses. The best ever two-station CMC, it can be run efficiently by one or two operators allowing you to speed up production when needed. With exciting features such as nesting to optimize mat board use, the **Gto® - i** will take on the largest production run you may have.

**Gto® - i** offers speed, performance, and mat cutting capability supported by the highest quality standards, making it extremely robust and durable.

**Gto® - i** features a "hold-down" system consisting of aluminum clamp rails on the left, bottom and right sides which are actuated by pneumatic cylinders.

**Gto®** provides years of flawless performance with technology that has been proven in the most extreme framing environments, the **Gto®** is the best production CMC for you.

## TECHNICAL SPECIFICATION

### Gto® - i 150

Working area:

1500mm x 1000mm (60" x 40")

Height 2200mm (60")

Width 1750mm (83")

Depth 1300mm (63")

Weight 230 kg. (400 lbs)

<b>Max Speed</b>	1400mm/ sec 55.11"/sec
<b>Main Supply</b>	220V / 50Hz / 10A +/-10%
<b>Pneumatics</b>	6 Bar / 90 PSI

## PERFORMANCE

### Mat Size

280mm x 350mm (11" x 14")

400mm x 500mm (16" x 20")

800mm x 1000mm (32" x 40")

### Opening

150mm x 230mm (6" x 9")

280mm x 380mm (11" x 15")

685mm x 890mm (32" x 40")

### Full Cycle

5.65 secs

6.72 secs

9.26 secs

### Cut Only

2.94 secs

3.60 secs

5.61 secs

# Gto<sup>®</sup>-i Specifications

## System Features

- The Industry's only stepless automatic blade depth system, fully software-driven
- Near-flat cutting table angle maintains cut quality during high-speed cutting
- Ultra-fast cutting and positioning speeds of over 55"/sec.!
- Dual cutting station capability; cut two different mat designs simultaneously
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool
- Shares cutting head design and software as the other models
- Cut pre-assembled double and triple mats without removing from machine
- Unique cut-from-front head design provides unparalleled cut detail and perfect opening to V-Groove alignment
- Unique "Dead-End" design & cut capability; create spacers, bevel accent strips, custom V-grooves, decorative Embossing lines...
- Computer system included at no extra cost (only for N.A. Market)
- Connectivity via USB port.

## Program Features

- Attractive Purchase, Lease and Rental options
- Attractive lease-to-own plans starting at \$460/mo - with no down payment (only for N.A. Market)
- 2-year warranty on parts and factory labor
- Extended warranty plans and preventive maintenance options available
- Unlimited telephone support for technical enquiries
- Valiani has produced the widest range of mat cutting machinery since 1973
- Sales, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors
- Qualified technicians available for on-site installation and training.

## Future Mat Designer Software Details

- The Future Mat Designer program is extremely easy to use and offers a wide variety of tools necessary to increase creativity and reduce project design time
- Over 250 pre-programmed design templates, with create-your own capability
- Rotate, Scale, Copy, and Paste any design object or Group
- Easy import of CAD (.DXF), CorelDRAW (.PLT) designs, clip art, or Fonts - limitless creative possibilities.
- Easy to use Centering, Positioning, Spacing, Aligning, and Array tools for effortless multi-opening layouts
- Integrated with the leading Picture Framing point-of-sale (POS) and Visualization software providers (only for N.A. Market)
- Mat Optimization layout feature for efficient cutting of varied mat sizes
- Text tool for creating names, numbers, etc. - over 40 pre-programmed fonts
- New Cut Sequence tool allows user-designated cutting order of all mat openings

## Hardware Specifications

- Highly robust mechanical and electrical components
- Independent control keypads and Emergency Stops at each machine station
- Improved housing and tool-free locking mechanism for cutting head
- Improved pneumatic control for more precise radial (oval, circle, etc.) cutting
- Full-perimeter shields ensure maximum operator safety
- Handles up to 3/16" (5mm) foam board and coter board with optional 45-bevel or 90-degree cutting heads
- Highly durable blades cut up to 100 mat openings
- Sturdy "Rollon" compact rails for peak reliability with minimal maintenance

## Additional

- Automatic, infinitely-variable blade depth control minimizes operator errors due to fatigue - ideal for V-groove and multiple-layer cutting
- Can be run by either one or two operators; allows instant ramp-up in production capacity
- Extended warranty and preventive maintenance options ensure minimal loss of production
- Software facility to import CAD (.DXF) or CorelDraw (.PLT) files, for an unmatched design flexibility
- New mat database option allows machine to automatically recall depth settings for any mat type
- System compatible with Windows XP and VISTA with a standard USB port.
- Remote assistance (internet connection required)
- Safety rating: CE certification and UL Listed.
- No per-cut "Corner" fees to limit cutting production or creativity (N.A. Market)
- Optional computer workstation with rotating interchangeable head carousel
- Winner of the 'Fine Art Trade Guild's 2008 Innovation Award' for the Valiani Interchangeable head system.
- Highly durable blades cut up to 100 mat openings



**VALIANI**

### Valiani s.r.l.

Via delle Regioni 305  
50052 Certaldo - Firenze (ITALIA)  
tel +39 0571 666598 | fax +39 0571 663454  
info@valiani.com | www.valiani.com

### Valiani North America, LLC

5745 S.W. 75th St, #324  
Gainesville - Florida 32608 (USA)  
tel toll free (888) VALIANI | fax (888) 825-4264  
mailbox@valiani.com | www.valiani.com

# Supreme<sup>®</sup> - i



Winner 2008  
Fine Art Trade Guild  
Innovation Award  
Valiani  
Interchangeable Heads



## highlights

### VALIANI means...

- ✓ High quality Italian Engineering
- ✓ Precision & Creativity
- ✓ Versatility
- ✓ Reliability & Profitability
- ✓ Superior Customer Support



Includes Future Mat Designer<sup>®</sup>



Supports Interchangeable Heads

### Supreme<sup>®</sup> - i

- The best cutting speed in its class: 530mm/sec (21"/sec).
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool.
- Attractive Purchase, Lease and Rental options.
- Valiani has produced the widest range of mat cutting machinery since 1973.
- Qualified technicians available for on-site installation and training.
- Mat Optimization layout feature for efficient cutting of varied mat sizes.
- Text tool for creating names, numbers, etc. - over 40 pre-programmed fonts.
- Precision drive belts reinforced with steel filaments.
- Sturdy "Rollon" compact rails for peak reliability with minimal maintenance.
- Remote assistance (internet connection required).
- Highly durable blades cut up to 100 mat openings.

# VALIANI

www.valiani.com

# Supreme<sup>®</sup> - i

**Supreme<sup>®</sup> -is** computerized mat board cutting machine was developed for busy frame shops looking for a more robust mat cutting solution and, therefore, turns out to be the ideal choice for Custom framers or low volume production framers.

**Supreme<sup>®</sup> -is** offers speed, performance, and mat cutting capability supported by the highest quality standards, making it extremely robust and durable.

**Supreme<sup>®</sup> -is** is available in two sizes and is capable of doing all cutting from the front and the back, cuts single or multiple openings, V-grooves in all designs and pre-assembled double and triple mats without having to remove the mat from the machine.

This feature alone saves hours of work and is a great advantage that no other machine can offer along with the flexibility to accommodate matting materials and design concepts of the future.

## TECHNICAL SPECIFICATION

### Supreme<sup>®</sup> -is 150

Working area:  
1500mm x 1000mm (60" x 40")  
Height 2100mm (83")  
Width 1600mm (63")  
Depth 1500mm (60")  
Weight 160 kg. (350 lbs)

### Supreme<sup>®</sup> -is 120

Working area:  
1200mm x 800mm (48" x 32")  
Height 1760mm (70")  
Width 1400mm (55")  
Depth 1450mm (57")  
Weight 130 kg. (280 lbs)

<b>Max Speed</b>	530mm/ sec 21"/sec
<b>Main Supply</b>	110V / 60Hz / 10A +/-10% 220V / 50Hz / 10A +/-10%
<b>Pneumatics</b>	6 Bar / 90 PSI

## PERFORMANCE

### Mat Size

280mm x 350mm (11" x 14")  
400mm x 500mm (16" x 20")  
800mm x 1000mm (32" x 40")

### Opening

150mm x 230mm (6" x 9")  
280mm x 380mm (11" x 15")  
685mm x 890mm (32" x 40")

### Full Cycle

9.86 secs  
11.54 secs  
15.47 secs

### Cut Only

5.97 secs  
7.18 secs  
11.03 secs

## Specifications

# Supreme® - i

### System Features

- Ideal for growing businesses that require increased production speed and durability
- The best cutting speed in its class: 530mm/sec (21"/sec)
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool
- Shares cutting head design and software as the other models
- Cut pre-assembled double and triple mats without removing from machine, a feature exclusive to Valiani equipment
- Unique cut-from-front head design provides unparalleled cut detail and perfect opening to V-Groove alignment
- Unique "Dead-End" design & cut capability; create spacers, bevel accent strips, custom V-grooves, decorative Embossing lines...
- Computer system included at no extra cost (only for N.A. Market)
- Connectivity via USB port.

### Program Features

- Attractive Purchase, Lease and Rental options
- Attractive lease-to-own plans starting at \$460/mo - with no down payment (only for N.A. Market)
- 2-year warranty on parts and factory labor
- Extended warranty plans and preventive maintenance options available
- Unlimited telephone support for technical enquiries
- Valiani has produced the widest range of mat cutting machinery since 1973
- Sales, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors.
- Qualified technicians available for on-site installation and training.

### Future Mat Designer Software Details

- The Future Mat Designer program is extremely easy to use and offers a wide variety of tools necessary to increase creativity and reduce project design time
- Over 250 pre-programmed design templates, with create-your own capability
- Rotate, Scale, Copy, and Paste any design object or Group
- Easy import of CAD (.DXF), CorelDRAW (.PLT) designs, clip art, or Fonts - limitless creative possibilities.
- Easy to use Centering, Positioning, Spacing, Aligning, and Array tools for effortless multi-opening layouts
- Integrated with the leading Picture Framing point-of-sale (POS) and Visualization software providers (only for N.A. Market)
- Mat Optimization layout feature for efficient cutting of varied mat sizes
- Text tool for creating names, numbers, etc. - over 40 pre-programmed fonts
- New Cut Sequence tool allows user-designated cutting order of all mat openings

### Hardware Specifications

- Improved housing and tool-free locking mechanism for cutting head
- Improved pneumatic control for more precise radial (oval, circle, etc.) cutting
- Heavy-duty honeycomb-aluminum cutting table; lightweight and rigid
- Precision drive belts reinforced with steel filaments
- Depth adjustment dial knob 0-3/16" (0-5mm)
- Handles up to 3/16" (5mm) foam board and coter board with optional 45-bevel or 90-degree cutting heads
- Improved mat clamping capacity: Four 4-ply mats or 3/16" (5mm) foamboard
- High-speed micro stepper motors, for consistent cut quality
- Sturdy "Rollon" compact rails for peak reliability with minimal maintenance
- Integrated steel floor stand included

### Additional

- Software facility to import CAD (.DXF) or CorelDraw (.PLT) files, for an unmatched design flexibility
- New mat database option allows machine to automatically recall depth settings for any mat type
- System compatible with Windows XP and VISTA with a standard USB port.
- remote assistance (internet connection required)
- Safety rating: CE certification and UL Listed.
- No per-cut "Corner" fees to limit cutting production or creativity (N.A. Market)
- Optional computer workstation with rotating interchangeable head carousel
- Winner of the 'Fine Art Trade Guild's 2008 Innovation Award' for the Valiani Interchangeable head system.
- Highly durable blades cut up to 100 mat openings

**VALIANI**

#### Valiani s.r.l.

Via delle Regioni 305  
50052 Certaldo - Firenze (ITALIA)  
tel +39 0571 666598 | fax +39 0571 663454  
info@valiani.com | www.valiani.com

#### Valiani North America, LLC

5745 S.W. 75th St, #324  
Gainesville - Florida 32608 (USA)  
tel toll free (888) VALIANI | fax (888) 825-4264  
mailbox@valiani.com | www.valiani.com

# Plus<sup>®</sup>-i



Winner 2008  
Fine Art Trade Guild  
Innovation Award  
Valiani  
Interchangeable Heads



## highlights

### Plus<sup>®</sup>-is

- VALIANI means...**
- ✓ High quality Italian Engineering
  - ✓ Precision & Creativity
  - ✓ Versatility
  - ✓ Reliability & Profitability
  - ✓ Superior Customer Support



Includes Future Mat Designer<sup>®</sup>




Supports Interchangeable Heads

- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool
- An amazing cutting speed 43"/sec. (1080 mm/sec)
- Attractive Purchase, Lease and Rental options
- Extended warranty plans and preventive maintenance options available
- Easy to use Centering, Positioning, Spacing, Aligning, and Array tools for effortless multi-opening layouts
- High-speed micro stepper motors
- Integrated control keypad for improved user ergonomics and safety
- Full-length front safety guard
- Proven "workhorse" system in the most demanding production facilities worldwide
- New mat database option allows machine to automatically recall depth settings for any mat type
- System required: XP- VISTA with a standard USB port

# VALIANI

www.valiani.com



**Plus® -is** computerized mat board cutting machine was developed and constructed for production framing businesses, or that busy custom framer looking for the best. CMC available. **Plus®** is time-tested and proven.

**Plus® -is** offers speed, performance, and mat cutting capability supported by the highest quality standards, making it extremely robust and durable.

**Plus® -is** is available in two sizes and is capable of doing all cutting from the front and the back, cuts single or multiple openings, V-grooves in all designs and pre-assembled double and triple mats without having to remove the mat from the machine.

This feature alone saves hours of work and is a great advantage that no other machine can offer along with the flexibility to accommodate matting materials and design concepts of the future.

## TECHNICAL SPECIFICATION

### Plus® -is 150

Working area:  
1500mm x 1000mm (60" x 40")  
Height 1500mm (60")  
Width 2100mm (83")  
Depth 1600mm (63")  
Weight 180 kg. (400 lbs)

### Plus® -is 120

Working area:  
1200mm x 800mm (48" x 32")  
Height 1450mm (70")  
Width 1760mm (55")  
Depth 1400mm (57")  
Weight 130 kg. (280 lbs)

<b>Max Speed</b>	1080mm/ sec 43"/sec
<b>Main Supply</b>	220V / 50Hz / 10A +/-10%
<b>Pneumatics</b>	6 Bar / 90 PSI

## PERFORMANCE

### Mat Size

280mm x 350mm (11" x 14")  
400mm x 500mm (16" x 20")  
800mm x 1000mm (32" x 40")

### Opening

150mm x 230mm (6" x 9")  
280mm x 380mm (11" x 15")  
685mm x 890mm (32" x 40")

Full Cycle	Cut Only
7.81 secs	4.31 secs
8.78 secs	4.88 secs
10.90 secs	6.75 secs

## System Features

- Designed for continuous operation with minimal maintenance downtime
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90-degree, Embossing tool
- Shares cutting head design and software as the other models
- Cut pre-assembled double and triple mats without removing from machine, a feature exclusive to Valiani equipment
- Unique cut-from-front head design provides unparalleled cut detail and perfect opening to V-Groove alignment
- Unique "Dead-End" design & cut capability; create spacers, bevel accent strips, custom V-grooves, decorative Embossing lines
- Computer system included at no extra cost (only for N.A. Market)
- An amazing cutting speed of 43"/sec. (1080 mm/sec)
- Connectivity via USB port

## Program Features

- Attractive Purchase, Lease and Rental options
- Attractive lease-to-own plans starting at \$460/mo - with no down payment (only for N.A. Market)
- 2-year warranty on parts and factory labor
- Extended warranty plans and preventive maintenance options available
- Unlimited telephone support for technical enquiries.
- Valiani has produced the widest range of mat cutting machinery since 1973
- Scale, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors
- Qualified technicians available for on-site installation and training.

## Future Mat Designer Software Details

- The Future Mat Designer program is extremely easy to use and offers a wide variety of tools necessary to increase creativity and reduce project design time
- Over 250 pre-programmed design templates, with create-your own capability
- Rotate, Scale, Copy, and Paste any design object or Group
- Easy import of CAD (.DXF), CorelDRAW (.PLT) designs, clip art, or Fonts - limitless creative possibilities.
- Easy to use Centering, Positioning, Spacing, Aligning, and Array tools for effortless multi-opening layouts
- Integration with the leading Picture Framing point-of-sale (POS) and Visualization software providers
- Mat Optimization layout feature for efficient cutting of varied mat sizes.
- Text tool for creating names, numbers, etc. - over 40 pre-programmed fonts
- New Cut Sequence tool allows user-designated cutting order of all mat openings


## Hardware Specifications

- Improved housing and tool-free locking mechanism for cutting head
- Heavy-duty steel floor stand with levelling feet for superior stability
- High-speed micro stepper motors
- Improved pneumatic control for more precise radial (oval, circle, etc.) cutting
- Integrated control keypad for improved user ergonomics and safety
- Full-length front safety guard
- Depth adjustment dial knob 0-3/16" (0-5mm)
- Handles up to 3/16" (5mm) foam board and coter board with optional 45-bevel or 90-degree cutting heads
- Heavy-duty honeycomb-aluminium cutting table; lightweight and rigid
- Improved mat clamping capacity: Four 4-ply mats or 3/16" (5mm) foamboard

## Additional

- Proven "workhorse" system in the most demanding production facilities worldwide
- Extended warranty and preventive maintenance options ensure minimal loss of production
- Software facility to import CAD (.DXF) or CorelDraw (.PLT) files, for an unmatched design flexibility
- New mat database option allows machine to automatically recall depth settings for any mat type
- System compatible with Windows XP and VISTA with a standard USB port.
- Remote assistance (internet connection required)
- Safety rating: CE certification and UL Listed.
- No per-cut "Corner" fees to limit cutting production or creativity (N.A. Market)
- Optional computer workstation with rotating interchangeable head carousel
- Winner of the 'Fine Art Trade Guild's 2008 Innovation Award' for the Valiani Interchangeable head system.
- Highly durable blades cut up to 100 mat openings

# Mat Pro<sup>®</sup> cmc - ix



**Mat Pro<sup>®</sup> cmc - ix** computerized mat cutter is the ideal mat cutting solution for the custom framer, offering the ideal combination of reliability, design flexibility, and best of all, maximum affordability. This machine combines the best features of Valiani CMC line, giving you the most capable and affordable system available today.

**Mat Pro<sup>®</sup> cmc - ix** offers speed, performance, and mat cutting capability supported by the highest quality standards, making it extremely robust and durable.

**Mat Pro<sup>®</sup> cmc - ix** is available in two sizes and is capable of doing all cutting from the front and the back, cuts single or multiple openings, V-grooves in all designs and pre-assembled double and triple mats without having to remove the mat from the machine. This feature alone saves hours of work and is a great advantage that no other machine can offer along with the flexibility to accommodate matting materials and design concepts of the future.

## TECHNICAL SPECIFICATION

### Mat Pro<sup>®</sup> cmc -ix 150

Working area:  
1500mm x 1000mm (60" x 40")  
Height 1600mm (63")  
Width 1900mm (75")  
Depth 1550mm (61")  
Weight 115 kg. (253 lbs)

### Mat Pro<sup>®</sup> cmc -ix 120

Working area:  
1200mm x 800mm (48" x 32")  
Height 1500mm (60")  
Width 1550mm (60")  
Depth 1250mm (49")  
Weight 90 kg. (198 lbs)

<b>Max Speed</b>	300mm/ sec 12"/sec
<b>Main Supply</b>	110V / 60Hz / 10A +/-10% 220V / 50Hz / 10A +/-10%
<b>Pneumatics</b>	6 Bar / 90 PSI

## PERFORMANCE

### Mat Size

280mm x 350mm (11" x 14")  
400mm x 500mm (16" x 20")  
800mm x 1000mm (32" x 40")

### Opening

150mm x 230mm (6" x 9")  
280mm x 380mm (11" x 15")  
685mm x 890mm (32" x 40")

### Full Cycle

11.40 secs  
13.60 secs  
20.71 secs

### Cut Only

7.10 secs  
9.62 secs  
16.90 secs

## Specifications

# Mat Pro cmc<sup>®</sup> - iX

### System Features

- Most affordable, full-featured CMC available - ideal for custom frame shops: Great value quality/price
- Full interchangeable cutting head capability, up to six heads available: 40 or 45-degree bevel, 90 degree, Embossing tool.
- Shares cutting head design and software with higher-priced models.
- The best cutting speed for its market segment : 300mm/sec (12"/sec.).
- Cut pre-assembled double and triple mats without removing from machine, a feature exclusive to Valiani equipment
- Unique cut-from-front head design provides unparalleled cut detail and perfect opening to V-Groove alignment.
- Unique "Dead-End" design & cut capability; create spacers, bevel accent strips, custom V-grooves, decorative Embossing lines.
- Connectivity via USB port.
- Computer system included at no extra cost (for N.A. market only)

### Program Features

- Attractive Purchase, Lease and Rental options.
- Smart Lease plans starting under \$300/mo - with no down payment (only for N.A. Market).
- Rental program available -- European Market.
- 2-year warranty on parts and factory labor.
- Extended warranty plans and preventive maintenance options available.
- Unlimited telephone support for technical enquiries.
- Valiani has produced the widest range of mat cutting machinery since 1973
- Sales, Service & Support in over 60 countries worldwide through a wide network of authorized and trained Valiani distributors.
- Qualified technicians available for on-site installation and training.

### Future Mat Designer Software Details

- The Future Mat Designer program is extremely easy to use and offers a wide variety of tools necessary to increase creativity and reduce project design time
- Over 250 pre-programmed design templates, with create-your own capability.
- Rotate, Scale, Copy, and Paste any design object or Group.
- Easy import of CAD (.DXF), CorelDRAW (.PLT) designs, clip art, or Fonts - limitless creative possibilities.
- Easy to use Centering, Positioning, Spacing, Aligning, and Array tools for effortless multi-opening layouts.
- Integrated with the leading Picture Framing point-of-sale (POS) and Visualization software providers (only for N.A. Market).
- Mat Optimization layout feature for efficient cutting of varied mat sizes.
- Text tool for creating names, numbers, etc. - over 40 pre-programmed fonts.
- New Cut Sequence tool allows user-designated cutting order of all mat openings.

### Hardware Specifications

- New lightweight Alucore cutting board.
- Choice of angled or upright steel floor stand.
- Improved housing and tool-free locking mechanism for cutting head.
- Durable steel bearing rollers and steel bearing tracks.
- Precision drive belts reinforced with steel filaments .
- Depth adjustment dial knob 0-5mm (0-3/16").
- Handles up to 5mm (3/16") foam board and coter board with optional 45-bevel or 90-degree cutting heads.
- Improved mat clamping capacity: Four 4-ply mats or 5mm (3/16") foamboard.
- Highly durable blades cut up to 100 mat openings.
- Integrated steel floor stand included

### Additional

- Software facility to import CAD (.DXF) or CorelDraw (.PLT) files, for an unmatched design flexibility.
- New mat database option allows machine to automatically recall settings for any mat type.
- System compatible with Windows XP and VISTA with a standard USB port.
- Remote assistance (internet connection required).
- Safety rating: CE certification and UL Listed.
- Optional computer workstation with rotating interchangeable head tray.
- It's the overwhelming choice of the most important museums and institutions.
- Winner of the 'Fine Art Trade Guild's 2008 Innovation Award' for the Valiani Interchangeable head system.
- Stainless Steel Slip Sheet to provide maximum protection from scoring of the CMC's table surface.

**VALIANI**

#### Valiani s.r.l.

Via delle Regioni 305  
50052 Certaldo - Firenze (ITALIA)  
tel +39 0571 666598 | fax +39 0571 663454  
info@valiani.com | www.valiani.com

#### Valiani North America, LLC

5745 S.W. 75th St, #324  
Gainesville - Florida 32608 (USA)  
tel toll free (888) VALIANI | fax (888) 825-4264  
mailbox@valiani.com | www.valiani.com